

DATE: FEBRUARY 2, 2006

TO: ALL INTERESTED PARTIES

**RE: M. V. KALEETAN
DOCKSIDE PRESERVATION
CONTRACT 00-7076
US FTA #WA-03-0175-00-01**

ADDENDUM NO. 4

This is to inform you of the following updates and changes to the Invitation For Bids (IFB) for the above-referenced project:

**CONTRACT PROVISIONS
IFB Volume I**

**SUPPLEMENTAL SPECIFICATIONS AND CONTRACT GUIDANCE DRAWINGS
IFB Volume II**

Attached hereto and incorporated herein are revisions to the IFB Schedule, Bidder Instructions, Technical Specifications, Bid Form, Supplemental Specifications and Guidance Drawings documents.

Sincerely,

Barbara Olson
Contracts Coordinator

Attachment

ATTACHMENT TO ADDENDUM NO. 4

BIDDER INFORMATION IFB Volume I

IFB SCHEDULE

The IFB Schedule has been revised to incorporate a revision to the Bid Due Date. Subsequent IFB due dates have been revised accordingly. A revised IFB Schedule is attached hereto and incorporated herein. The revised Schedule supersedes and replaces the previously issued IFB Schedule.

BIDDER INSTRUCTIONS

BID DUE DATE Section 2

Page 1, line 27. Revise the Bid Due Date to read "**11:15 a.m. on Thursday, February 9, 2006.**"

TECHNICAL SPECIFICATIONS IFB Volume I

PREP AND PAINT ZONE 2, VEHICLE DECK Item 4

Page 7, line 22. Paragraph A. After the word "overhead.", delete the sentence starting with the word "Grind" and replace it with the following new text:

"Grind surface smooth, as designated by the WSF Inspector."

PREP AND PAINT ZONE 4, DECKS AND CABIN TOPS
Item 6

Page 9. Paragraph D.

Line 34. After the number “(1)” delete the word “spot”.

Line 37. After the word “deck.”, add the following new text:

“Apply a topcoat of Intercare 755 series to a minimum of 2 mils (DFT) to match existing color to all areas of Zone 4 that did not have the nonskid renewed.”

PREP AND PAINT ZONE 7, STAIRWELLS
Item 9

Page 12, lines 6 – 8. Paragraph F. Delete the entire text in paragraph “F” and replace with the following new text:

“Install new RCA Rubber Co, abrasive strip rubber stair thread and matching riser, color 545 VI 608, the full width of the stairway.”

PREP AND PAINT ZONE 8, HANDRAILS AND SCREENS
Item 10

Page 12, line 14. Paragraph B. After the word “coating.”, add the following new text:

“Fabricate 26 new picklefork screens that have existing U-channels. New screen assemblies shall utilize a 1/8 inch by 2 - inch flat bar for framework.”

Page 12, line 19. Paragraph D. After the words “Zone 8.”, add the following new text:

“including the screens on the Upper Passenger deck.”

SIGNS
Item 11

Page 12, lines 23 - 27.

“Delete the entire “**NOTE**” text.”

BILGE PAINTING
Item 14

Page 14, lines 6 - 38.

Delete the entire title and text for Item 14, “Bilge Painting” and replace with the following new title and text:

“14. PREP AND PAINT ZONE 1, CURTAIN PLATE
{STRUCTURAL PRESERVATION }

- A. Perform a Low Pressure Water Cleaning (LP WC) at 3,000 - 5,000 PSI to achieve a condition of SC-1 IAW Table 2 (Non-visual Surface Preparation Definitions) in SSPC-SP 12/NACE 5 Publication, in Zone 1. The wand shall be held no more than twelve (12”) inches from surface being washed. Use **International GMA** or equal when washing.

Perform an inspection of the entire fresh water washed areas to the satisfaction of the WSF Inspector prior to proceeding with any preparation for painting, or painting.

NOTE:

For bidding purposes, assume that **800 Square Feet** (approximately 300 Sq. ft. per side) will require surface preparation. Upon completion of the preparation and painting, the Contract will be adjusted upward or downward to account for the actual area authorized by the WSF Inspector.

- B. Prepare various areas, as authorized by the WSF Inspector, to an SSPC-SP3, Power Tool Cleaning.
- C. Apply two (2) coats of INTERNATIONAL Intertuf 262 series Epoxy, 5 mils (DFT) each coat, for a total of 10 mils (DFT) to all prepared surfaces. Hand-stripe all edges.
- D. Top-coat the entire Zone 1 area with INTERNATIONAL Intercare 755 series, to a minimum of 2 mils (DFT) to match existing color.”

CELL PHONE REPLACEMENT
Item No. 16

Page 16, line 31. Paragraph D. After the word “Inspector.”, replace the period with a coma, and add the following new text:

“and as shown on WSF DWG 8201-661-094-01, M/V HYAK Antenna Arrangement.”

PIPE COUPONS

Item 18

Page 20. After Item No. “25” add the following new Item Nos. “26 – 28”:

TABLE ~ PIPING COUPON LOCATIONS					
Item No.	Service	Size	Qty	End P/S	Location
26	Firemen	4”	2 ea.	1&2	Overhead of Lower Passenger Deck
27	Firemen	2 ½”	1 ea.	1	Overhead E/R No. 1
28	Firemen	2 ½”	1 ea.	1	Overhead E/R No. 2

STEEL REPAIRS

Item 20

Page 21, line 38. Paragraph C. After the word “smoth.”, replace the period with a coma, and add the following new text:

“Remove the unused gate at the top of the ladder from the Upper Passenger deck. Remove the ramps and install deck edge coaming in way of the previously removed ladders from the Upper Passenger deck, two (2) locations.”

Page 22, line 5. Paragraph D. After paragraph “D” add the following new paragraph “E”.

- “E. Insert 34-feet of the solarium bulkhead between the deck edge and 6-inches up on the No. 1 End. Ten linear feet on the port side, six (6) feet at the port forward corner and eighteen (18) linear feet on the starboard side.”

AUTOMATIC DRAFT INDICATOR SYSTEM INSTALLATION

Item 21

Page 23, line 18. Paragraph J. Revise the sentence starting with the word “Calibrations” to read as follows:

“Calibrations shall be accomplished in the presence of the WSF Inspector and Construction Master.”

TECHNICAL SPECIFICATIONS

TABLE OF CONTENTS

Page 2

Delete Item 14, “Bilge Painting”, and replace with a new Item 14 “Prep and Paint Zone 1, Curtain Plate.”

Attached hereto and incorporated herein is a revised Page (iii) of the Table of Contents, incorporating a new Item No. 14. The revised Table of Contents replaces and supersedes the Table of Contents in the original IFB package.

BID FORM

Page 3, Item No. 14.

The IFB Bid Form is revised to delete Item No. 14, “Bilge Painting” and replace it with a new Item No. 14, “Prep and Paint Zone 1, Curtain Plate”.

Attached hereto and incorporated herein are: (i) revised page 3 of the IFB Bid Form, (for all plan holders); and (ii) a revised IFB Bid Form (for prequalified bidders only) incorporating the above revision. The revised Bid Form supersedes and replaces the Bid Form issued in the original IFB.

**SUPPLEMENTAL SPECIFICATIONS AND CONTRACT GUIDANCE DRAWINGS
IFB Volume II**

TABLE OF CONTENTS

**WSF Drawing No. 8200-661-094-01, Rev. -
M/V HYAK Antenna Arrangement**

Due to the replacement of the drawing (see below), delete the entire text in the row for that Drawing and replace with the following text:

“Drawing No. 8201-661-094-01, Rev. A, M/V HYAK Antenna Arrangement”.

Attached hereto and incorporated herein is a revised page 2 of the Table of Contents incorporating the above revision. The revised Table of Contents replaces and supersedes the Table of Contents issued in the original IFB package.

WSF Drawing No. 8201-661-094-01, Rev. A (new)
M/V HYAK, Antenna Arrangement

Attached hereto and incorporated herein (for prequalified bidders only) is one (1) new WSF Drawing, WSF Drawing No. 8201-661-094-01, Rev. A, M/V HYAK, Antenna Arrangement.

(END)